

Web Images Videos Maps News Shopping Gmail more ▾

Sign in

Google scholar

unique expired "temporary identity"

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar Results **1 - 10** of about **166**. (

HANDLING OF TEMPORARY IDENTITIES IN MOBILE TELEPHONY SYSTEMS

F Bjelland, OJ Gangsoy, VO Lillehiem - 2008 - freepatentsonline.com

... EP0859531, Method for providing a **unique** temporary identification of a mobile station, ... claimed in any of the preceding claims, characterized in that whenever a **temporary identity** is released ... network node (SGSN) re-assigns said identity when a guard period is **expired** to avoid ...

[All 3 versions](#)

Automatic unit ID for quasi-transmission trunked systems

KJ Zdunek, BD Heyman, MD Sasuta - US Patent 4,646,345, 1987 - Google Patents

... a In public safety operations (police, fire, etc.) it is trunked system has a **unique** ID code ... If the same channel .had been assigned, and the PTT ID timer had not **expired**, the unit ... 50, two commands are transmitted, each inform- ing one of the groups of its new, **temporary "identity"**. ...

[Cited by 32](#) - [Related articles](#) - [All 2 versions](#)

[CITATION] Practical security for disconnected nodes

A Seth, S Keshav - 1st IEEE ICNP Workshop on Secure Network Protocols, ..., 2005

[Cited by 39](#) - [Related articles](#) - [All 7 versions](#)

[CITATION] Patient's privacy protection with anonymous access to medical services

D Weerasinghe, K Elmufit, M Rajarajan, V Rakocovic - ... Computing Technologies for ..., 2008

[Cited by 3](#) - [Related articles](#) - [All 3 versions](#)

[PDF] Efficient End-to-End Authentication Protocols for

CH Chang, K Tu, KC Chen - 1996 - ntur.lib.ntu.edu.tw

... Given the session key and the **temporary identity** of the entity are present, an efficient protocol is provoked ... extracts $K, i, fIVFO$ according to TID_i I', TID_i checks INFO to see if **expired** generates a ... subscriber obtains a signature pair (r, s) of its own EID, and a **unique** identification, UID ...

[View as HTML](#)

[CITATION] Security aspects of 3G-WLAN interworking

GM Koien, T Haslestad, RD Telenor - IEEE Communications Magazine, 2003

[Cited by 99](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

[DOC] The Consequences Of Temporary Citizenship For Refugees On Tpv's

G Marston - 2003 - saanz.rsnz.org

... Many of the visas that have been issued to date have either **expired** or are soon due to **expire**. ... In this section I want to draw out the major themes from the research interviews, with a particular focus on the impact that a '**temporary identity**' has on material and mental well being. ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#)

[PDF] Security in Mobile Communication Systems

JP Korjus - Citeseer

... A common solution providing some degree of anonymity is to use an alias or a **temporary identity** 1]. The ... This table is computed again after the chosen time interval has **expired** 5]. ... scheme is that in each registration to network the mobile host identifies itself with a **unique** alias that ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

A novel mutual authentication and key agreement protocol based on NTRU ...

J Jun, HE Chen - Journal of Zhejiang University-Science A, 2005 - Springer

... user, the AS picks a random challenge polynomial r . Then the AS sends his certificate C combined with public key PK , **temporary identity** TID and ... Step 3: Upon receiving the message from user, the AS checks the t , and if it is **expired**, the authentication will be terminated. ...

[Cited by 7](#) - [Related articles](#) - [BL Direct](#) - [All 9 versions](#)

Techniques for preserving and managing identities in an audit log

SR Carter, LL Burch, DG Earl - 2007 - freepatentsonline.com

... Still further, a random generation algorithm may be used to generate a **unique** identity based on a variety ... At that time, the log 401 includes the **expired** transaction identity 402 ... The transaction identity 402 is a **temporary identity** that is assumed by an agent to process a transaction ...

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

unique expired "temporary identity" Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google